

Programming Example: SDS Oscilloscope screen image capture using Python over LAN

March 08, 2019

Here is a brief code example written in Python 3.4 that uses a socket to pull a display image (screenshot) from a SIGLENT SDS1000X-E scope via LAN and save it to the local drive of the controlling computer.

NOTE: This program saves the picture/display image file in the same directory that the .py file is being run from. It will overwrite any existing file that has the same name.

Download Python 3.4, connect a scope to the LAN using an Ethernet cable, get the scope IP address, and run the attached .PY program to save a bitmap (BMP) image of the oscilloscope display.

You can download the .PY file here: Python Socket SDS SCDP.zip

Tested with:

Python 3.4 SDS1202X-E SDS1104/1204X-E SDS2000X-E Models SDS5000X Models



```
remote_ip = "192.168.55.100" # should match the instrument's IP address
port = 5025 # the port number of the instrument service
def SocketConnect():
    try:
        #create an AF INET, STREAM socket (TCP)
        s = socket.socket(socket.AF INET, socket.SOCK STREAM)
    except socket.error:
        print ('Failed to create socket.')
        sys.exit();
    try:
        #Connect to remote server
        s.connect((remote ip , port))
        s.setblocking(0) # non-blocking mode, an exception occurs when no data
is detected by the receiver
        #s.settimeout(3)
    except socket.error:
        print ('failed to connect to ip ' + remote_ip)
    return s
def SocketQuery(Sock, cmd):
    try:
        #Send cmd string
        Sock.sendall(cmd)
        Sock.sendall(b'\n') #Command termination
        time.sleep(1)
    except socket.error:
        #Send failed
        print ('Send failed')
        sys.exit()
    data body = bytes()
    while True:
        try:
            time.sleep(0.01)
            server replay = Sock.recv(8000)
            #print(len(server_replay))
            data body += server replay
        except BlockingIOError:
            print("data received complete..")
            break
    return data body
    PACK_LEN = 768067#the packet length you will receive;
    #SDS5000X is 2457659;SDS1000X-E/2000X-E is 768067
    had received = 0
    data_body = bytes()
    while had received & lt; PACK LEN:
```



```
part_body= Sock.recv(PACK_LEN - had_received)
        data body += part body
        part_body_length = len(part_body)
        #print('part_body_length', part_body_length)
        had received += part body length
    return data body
def SocketClose(Sock):
    #close the socket
    Sock.close()
    time.sleep(5)
def main():
    global remote ip
    global port
    global count
    #Open a file
    file_name = "SCDP.bmp"
    # Body: Open a socket, query the screen dump, save and close
    s = SocketConnect()
    qStr = SocketQuery(s, b'SCDP') #Request screen image
    print(len(qStr))
    f=open(file name,'wb')
    f.write(qStr)
    f.flush()
    f.close()
    SocketClose(s)
    sys.exit
if __name__ == '__main__':
    proc = main()
```



North American Headquarters

SIGLENT Technologies NA 6557 Cochran Rd Solon, Ohio 44139

Tel: 440-398-5800 Toll Free:877-515-5551 Fax: 440-399-1211 info@siglent.com

www.siglentamerica.com/

European Sales Offices

SIGLENT TECHNOLOGIES GERMANY GmbH Staetzlinger Str. 70 86165 Augsburg, Germany Tel: +49(0)-821-666 0 111 0

Fax: +49(0)-821-666 0 111 22

info-eu@siglent.com www.siglenteu.com

Asian Headquarters

SIGLENT TECHNOLOGIES CO., LTD.
Blog No.4 & No.5, Antongda Industrial Zone,
3rd Liuxian Road, Bao'an District,
Shenzhen, 518101, China.
Tel:+ 86 755 3661 5186
Fax:+ 86 755 3359 1582

sales@siglent.com
www.siglent.com/ens