

Up to 1.5kW Output □ Siglent releases SPS6000X Series DC Power supply


January 21, 2025




January 21th,2025: Siglent releases SPS6000X Series Wide Range Programmable switching DC Power supply, which includes the SPS6225X, with a rated output of 200V/25A, and the SPS6150X, offering a rated output of 100V/50A. Each unit delivers up to 1.5kW of output power, and multiple units can be connected in parallel to increase total power capacity for high-current applications.

Wide Output Range

Unlike traditional power supplies with a fixed rectangular output range, the SPS6000X Series offers a broader and more flexible combination of voltage and current settings. This enhances power supply utilization and makes the series suitable for a wide range of test scenarios, including new energy systems, industrial automation, power supplies, automotive electronics, LED lighting, laboratories, and more.



SPS6225X




SPS6150X

Total Rated Output Power 1500W


Adjustable Output Slope

The SPS6000X Series allows users to customize the voltage and current rise and fall slopes. This feature enables precise testing of a device under test (DUT) during voltage and current transitions, reducing the risk of damage from inrush currents. This capability is particularly useful for testing components like capacitors that absorb strong currents.



List Function for Complex Test

The SPS6000X Series features an intuitive List function that enables users to program complex test sequences by defining step settings, durations, and slopes. It supports up to 50-step sequence editing directly on the device and allows importing List files via USB for advanced multi-step operations.



CV/CC Priority Mode

The SPS6000X series support both constant voltage (CV) and constant current (CC) priority output modes. In CC priority mode, the output operates in constant current mode first, minimizing the risk of inrush current and voltage overshoot. In CV priority mode, the output voltage quickly stabilizes at the set value. For LED testing, CV mode ensures the output voltage rises smoothly to the forward conduction voltage (V_f), preventing surge currents and voltage overshoots.



CV Priority



CC Priority

Flexible Capacity Expansion

The SPS6000X series supports the parallel connection of a single machine with the same model, up to 5 machines can be connected in parallel, and the output power is extended to 7500W. It is a test instrument with high power density and high flexibility, which is widely used in the design and manufacturing fields of DC power supply components, battery industry, component electronics industry.



Comprehensive Protection Features

The series is equipped with multiple protection mechanisms, including over-current protection (OCP), over-voltage protection (OVP), over-temperature protection (OTP), and over-power protection (OPP). In OPP mode, the system limits maximum output power to approximately 102% of the rated value, ensuring safe and reliable operation.



Remote Control

The SPS6000X Series comes standard with USB and LAN communication interfaces, with an optional USB-GPIB module. Its built-in web server enables remote control and monitoring via a web browser, eliminating the need for complex driver installation or additional software. Users can also save files to internal or external memory for convenient access.



The SPS6000X Series Wide Range Programmable switching DC Power supply is tailored for applications such as battery testing and industrial automation. With its exceptional performance, precise control, and versatile functionality, this power supply helps engineers enhance R&D efficiency and drive technological innovation.



North American Headquarters

SIGLENT Technologies NA
6557 Cochran Rd Solon, Ohio 44139
Tel: 440-398-5800
Toll Free: 877-515-5551
Fax: 440-399-1211
info@siglent.com
www.siglentamerica.com/

European Sales Offices

SIGLENT TECHNOLOGIES GERMANY GmbH
Staetzlinger Str. 70
86165 Augsburg, Germany
Tel: +49(0)-821-666 0 111 0
Fax: +49(0)-821-666 0 111 22
info-eu@siglent.com
www.siglenteu.com

Asian Headquarters

SIGLENT TECHNOLOGIES CO., LTD.
Blog No.4 & No.5, Antongda Industrial Zone,
3rd Liuxian Road, Bao'an District,
Shenzhen, 518101, China.
Tel: + 86 755 3661 5186
Fax: + 86 755 3359 1582
sales@siglent.com
www.siglent.com/ens